

NOTIFICATION OF ADDENDUM

ADDENDUM NO. 1

DATED 12/22/2010

Control	0920-06-026
Project	BR 2008(801)
Highway	CR
County	NEWTON

Ladies/Gentlemen:

Attached please find an addendum on the above captioned project. Included in the attachment is an addendum notification which details the changes and the respective proposal pages which were added and/or changed.

Except for new bid insert pages, it is unnecessary to return any of the pages attached.

Bid insert pages must be returned with the bid proposal submitted to the Department, unless your firm is submitting a bid using a computer print out. The computer print out must be changed to reflect the new bid item information.

Contractors and material suppliers, etc. who have previously been furnished informational proposals are not being furnished a copy of the addendum. If you have a subcontractor on the above project, please advise them of this addendum. Acknowledgment of this addendum is not requested if your company has been issued a proposal stamped "This Proposal Issued for Informational Purposes."

You are required to acknowledge receipt of this addendum on the Addendum Acknowledgement form contained in your bid proposal by placing a mark in the box next to the respective addendum.

Failure to Acknowledge receipt of this addendum in your bid proposal will result in your bid not being read.

SUBJECT: PLANS AND PROPOSAL ADDENDUMS

PROJECT: BR 2008(801)

CONTROL: 0920-06-026

COUNTY: NEWTON

LETTING: 01/04/2011

REFERENCE NO: 1222

PROPOSAL ADDENDUMS

_ PROPOSAL COVER

X BID INSERTS (SH. NO.: 1,2)

_ GENERAL NOTES (SH. NO.:

X SPEC LIST (SH. NO.: 2)

X SPECIAL PROVISIONS:

ADDED: 420---002

DELETED: 420---003

_ SPECIAL SPECIFICATIONS:

ADDED:

DELETED:

X OTHER: Plans 5,20,24

DESCRIPTION OF ABOVE CHANGES

(INCLUDING PLANS SHEET CHANGES)

Bid Inserts	Page 1	Delete Item 247-2233. Add Item 247-2333.
	Page 2	Delete Items 420-2003-003 and 420-2029-003. Add Item 420-2003-002 with quantity of 21 cy. Add Item 420-2029-002 with quantity of 20.3 cy.
Spec List	Page 2	Delete Special Provision 420-003. Add Special Provision 420-002.
Plans	Sheet 5	Revisions to Items 247 and 420 described above.
	Sheet 20	"Bridge Approach Paving Detail" revised to show Flex Base.
	Sheet 24	Quantity change for Class C concrete.

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	100	2001	002	PREPARING ROW DOLLARS and CENTS	AC	.380	1
	110	2001		EXCAVATION (ROADWAY) DOLLARS and CENTS	CY	145.000	2
	110	2002		EXCAVATION (CHANNEL) DOLLARS and CENTS	CY	157.000	3
	132	2001		EMBANKMENT (FINAL)(ORD COMP)(TY A) DOLLARS and CENTS	CY	654.000	4
	150	2002		BLADING DOLLARS and CENTS	HR	10.000	5
	164	2010	002	BROADCAST SEED (TEMP) (WARM) DOLLARS and CENTS	AC	.300	6
	164	2012	002	BROADCAST SEED (TEMP) (COOL) DOLLARS and CENTS	AC	.300	7
	164	2022	002	CELL FBR MLCH SEED(PERM)(RURAL)(SANDY) DOLLARS and CENTS	AC	.300	8
	168	2001		VEGETATIVE WATERING DOLLARS and CENTS	MG	2.800	9
	247	2333	033	FL BS (CMP IN PLC)(TY E GR 2) (4") DOLLARS and CENTS	SY	690.000	10

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	275	2011	002	CEMENT TREAT(EXIST MATL)(8") DOLLARS and CENTS	SY	690.000	11
	400	2004		STRUCT EXCAV (BRIDGE) DOLLARS and CENTS	CY	39.000	12
	400	2005		CEM STABIL BKFL DOLLARS and CENTS	CY	10.000	13
	409	2001		PRESTR CONC PIL (16 IN SQ) DOLLARS and CENTS	LF	328.000	14
	420	2003	002	CL C CONC (ABUT) DOLLARS and CENTS	CY	21.000	15
	420	2029	002	CL S CONC (SLAB) DOLLARS and CENTS	CY	20.300	16
	425	2017	001	PRESTR CONC SLAB BEAM (5SB15) DOLLARS and CENTS	LF	222.410	17
	428	2002	001	CONC SURF TREAT (CLASS II) DOLLARS and CENTS	SY	130.000	18
	432	2041		RIPRAP (STONE COMMON)(DRY)(18 IN) DOLLARS and CENTS	CY	90.000	19
	450	2011	001	RAIL (TY T6) DOLLARS and CENTS	LF	150.000	20
	454	2004		ARMOR JOINT DOLLARS and CENTS	LF	46.000	21

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	496	2009		REMOV STR (BRIDGE 0-99 FT LENGTH) DOLLARS and CENTS	EA	1.000	22
	500	2001	005	MOBILIZATION DOLLARS and CENTS	LS	1.000	23
	502	2001	033	BARRICADES, SIGNS AND TRAFFIC HAN- DLING DOLLARS and CENTS	MO	4.000	24
	540	2005	023	TERMINAL ANCHOR SECTION DOLLARS and CENTS	EA	2.000	25
	544	2001	001	GUARDRAIL END TREATMENT (INSTALL) DOLLARS and CENTS	EA	2.000	26
	658	2261		INSTL DEL ASSM (D-SW)SZ (TYC)GF1(BI) DOLLARS and CENTS	EA	12.000	27
	658	2316		INSTL OM ASSM (OM-2Z)(FLX)GND DOLLARS and CENTS	EA	2.000	28
	5049	2002		BIODGRD EROSION CONTROL LOGS (18" DIA) DOLLARS and CENTS	LF	800.000	29

CONTROL : 0920-06-026
PROJECT : BR 2008(801)
HIGHWAY : CR
COUNTY : NEWTON

TEXAS DEPARTMENT OF TRANSPORTATION

GOVERNING SPECIFICATIONS AND SPECIAL PROVISIONS

ALL SPECIFICATIONS AND SPECIAL PROVISIONS APPLICABLE TO THIS PROJECT
ARE IDENTIFIED AS FOLLOWS:

STANDARD SPECIFICATIONS: ADOPTED BY THE TEXAS DEPARTMENT OF
----- TRANSPORTATION JUNE 1, 2004.
STANDARD SPECIFICATIONS ARE INCORPORATED
INTO THE CONTRACT BY REFERENCE.

ITEMS 1 TO 9 INCL., GENERAL REQUIREMENTS AND COVENANTS
ITEM 100 PREPARING RIGHT OF WAY (103)
ITEM 110 EXCAVATION (132)
ITEM 132 EMBANKMENT (100)(204)(210)(216)(400)
ITEM 150 BLADING
ITEM 164 SEEDING FOR EROSION CONTROL (162)(166)(168)
ITEM 168 VEGETATIVE WATERING
ITEM 247 FLEXIBLE BASE (105)(204)(210)(216)(520)
ITEM 275 CEMENT TREATMENT (ROAD-MIXED) (132)(204)(210)(216)(247)
(300)(310)(520)
ITEM 400 EXCAVATION AND BACKFILL FOR STRUCTURES (132)(401)(420)
(421)
ITEM 409 PRESTRESSED CONCRETE PILING (404)(420)(421)(424)(425)
(426)(440)(780)
ITEM 420 CONCRETE STRUCTURES (400)(404)(421)(426)(427)(438)(440)
(441)(448)
ITEM 425 PRECAST PRESTRESSED CONCRETE STRUCTURAL MEMBERS (420)
(421)(424)(426)(427)(434)(440)(442)
ITEM 428 CONCRETE SURFACE TREATMENT (427)
ITEM 432 RIPRAP (247)(420)(421)(427)(431)(440)
ITEM 450 RAILING (420)(421)(424)(440)(441)(442)(445)(446)(448)
(540)
ITEM 454 BRIDGE EXPANSION JOINTS (429)(442)
ITEM 496 REMOVING STRUCTURES (430)
ITEM 500 MOBILIZATION (506)
ITEM 502 BARRICADES, SIGNS, AND TRAFFIC HANDLING
ITEM 506 TEMPORARY EROSION, SEDIMENTATION, AND ENVIRONMENTAL
CONTROLS
ITEM 540 METAL BEAM GUARD FENCE (421)(441)(445)(529)(542)(544)
ITEM 544 GUARDRAIL END TREATMENTS

ITEM 658 DELINEATOR AND OBJECT MARKER ASSEMBLIES (445)

SPECIAL PROVISIONS: SPECIAL PROVISIONS WILL GOVERN AND TAKE
----- PRECEDENCE OVER THE SPECIFICATIONS ENUMERATED
HEREON WHEREVER IN CONFLICT THEREWITH.

REQUIRED CONTRACT PROVISIONS, FEDERAL-AID CONSTRUCTION CONTRACTS
(FORM FHWA 1273, MARCH 1994)

WAGE RATES

SPECIAL PROVISION "PARTNERING" (000---002)
SPECIAL PROVISION "NOTICE TO ALL BIDDERS" (000---003)
SPECIAL PROVISION "NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO
ENSURE EQUAL EMPLOYMENT OPPORTUNITY" (000---004)
SPECIAL PROVISION "STANDARD FEDERAL EQUAL EMPLOYMENT OPPORTUNITY
CONSTRUCTION CONTRACT SPECIFICATIONS" (000---006)
SPECIAL PROVISION "CERTIFICATION OF NONDISCRIMINATION IN EMPLOYMENT"
(000---009)
SPECIAL PROVISION "DEPARTMENT DIVISION MAILING AND PHYSICAL ADDRESS"
(000---011)
SPECIAL PROVISION "NOTICE OF CHANGES TO U.S. DEPARTMENT OF LABOR
REQUIRED PAYROLL INFORMATION" (000--1483)
SPECIAL PROVISION "SCHEDULE OF LIQUIDATED DAMAGES" (000--1493)
SPECIAL PROVISION "ON-THE-JOB TRAINING PROGRAM" (000--1676)
SPECIAL PROVISION "DISADVANTAGED BUSINESS ENTERPRISE IN FEDERAL AID
CONTRACTS" (000--1966)
SPECIAL PROVISION TO ITEM 1 (001---015)
SPECIAL PROVISION TO ITEM 2 (002---017)
SPECIAL PROVISION TO ITEM 3 (003---033)
SPECIAL PROVISION TO ITEM 4 (004---017)
SPECIAL PROVISION TO ITEM 5 (005---004)
SPECIAL PROVISION TO ITEM 6 (006---030)
SPECIAL PROVISION TO ITEM 7 (007---740)
SPECIAL PROVISIONS TO ITEM 8 (008---006)(008---119)
SPECIAL PROVISIONS TO ITEM 9 (009---009)(009---015)
SPECIAL PROVISION TO ITEM 100 (100---002)
SPECIAL PROVISION TO ITEM 161 (161---006)
SPECIAL PROVISION TO ITEM 164 (164---002)
SPECIAL PROVISION TO ITEM 166 (166---001)
SPECIAL PROVISION TO ITEM 247 (247---033)
SPECIAL PROVISION TO ITEM 275 (275---002)
SPECIAL PROVISION TO ITEM 300 (300---032)
SPECIAL PROVISION TO ITEM 420 (420---002)
SPECIAL PROVISION TO ITEM 421 (421---035)
SPECIAL PROVISION TO ITEM 424 (424---002)
SPECIAL PROVISION TO ITEM 425 (425---001)
SPECIAL PROVISION TO ITEM 428 (428---001)
SPECIAL PROVISION TO ITEM 429 (429---008)
SPECIAL PROVISION TO ITEM 431 (431---001)
SPECIAL PROVISION TO ITEM 434 (434---003)
SPECIAL PROVISION TO ITEM 440 (440---003)
SPECIAL PROVISION TO ITEM 441 (441---006)
SPECIAL PROVISION TO ITEM 442 (442---016)

SPECIAL PROVISION	TO ITEM	448	(448---002)
SPECIAL PROVISION	TO ITEM	450	(450---001)
SPECIAL PROVISION	TO ITEM	500	(500---005)
SPECIAL PROVISION	TO ITEM	502	(502---033)
SPECIAL PROVISION	TO ITEM	506	(506---011)
SPECIAL PROVISION	TO ITEM	540	(540---023)
SPECIAL PROVISION	TO ITEM	544	(544---001)

SPECIAL SPECIFICATIONS:

ITEM 5049 BIODEGRADEABLE EROSION CONTROL LOGS (161)(506)

GENERAL: THE ABOVE-LISTED SPECIFICATION ITEMS ARE THOSE UNDER WHICH
 ----- PAYMENT IS TO BE MADE. THESE, TOGETHER WITH SUCH OTHER
 PERTINENT ITEMS, IF ANY, AS MAY BE REFERRED TO IN THE ABOVE-
 LISTED SPECIFICATION ITEMS, AND INCLUDING THE SPECIAL
 PROVISIONS LISTED ABOVE, CONSTITUTE THE COMPLETE SPECIFI-
 CATIONS FOR THIS PROJECT.

SPECIAL PROVISION

420---002

Concrete Structures

For this project, Item 420, "Concrete Structures," of the Standard Specifications, is hereby amended with respect to the clauses cited below, and no other clauses or requirements of this Item are waived or changed hereby.

Article 420.4. Construction, Section I, "Finish of Bridge Slabs". The tenth paragraph is supplemented with the following:

For bridge approach slabs the carpet drag, burlap drag, or broom finish may be applied either longitudinally or transversely.

Article 420.4. Construction, Section I, "Finish of Bridge Slabs". The first sentence of the fourteenth paragraph is voided and replaced by the following:

Unless noted otherwise, saw-cut grooves in the hardened concrete of bridge slabs, bridge approach slabs, and direct-traffic culverts to produce the final texturing after completion of the required curing period.

Article 420.4. Construction, Section I, "Finish of Bridge Slabs". The fourteenth paragraph is amended by the following:

When saw-cut grooves are not required in the plans, provide either a carpet drag or broom finish for micro-texture. In this case insure that an adequate and consistent micro-texture is achieved by applying sufficient weight to the carpet and keeping the carpet or broom from getting plugged with grout. For surfaces that do not have adequate texture, the Engineer may require corrective action including diamond grinding or shot blasting.

Article 420.4. Construction, Section J. Curing Concrete. The first sentence of the fourth paragraph is voided and replaced by the following:

For upper surfaces of bridge slabs, bridge approach slabs, median and sidewalk slabs, and culvert top slabs constructed using Class S concrete, apply interim curing using a Type 1-D curing compound before the water sheen disappears but no more than 45 minutes after application of the evaporation retardant. Do not allow the concrete surface to dry before applying the interim cure, and do not place the interim cure over standing water.

Article 420.6 Payment. The pay adjustment formula given in the sixth bullet of the fourth paragraph is voided and replaced by the following:

$$A = Bp[-5.37(Sa/Ss)^2 + 11.69(Sa/Ss) - 5.32]$$

Where:

A = Amount to be paid

Sa = Actual strength from cylinders or cores

Ss = Specified design strength

Bp = Unit bid price